

Botulinum Toxin Indications Routinely Commissioned

Licensed:

	Dysport	Botox	Xeomin	NeuroBloc
Blepharospasm	√	√	√	
Cervical dystonias	√	√	√	√
Focal spasticity	√ (arm & foot)	√ (foot & post stroke wrist/hand)	√ (post stroke arm)	
Hemifacial spasm	√	√		
Hyperhidrosis (severe)		√		
Migraine prophylaxis		√		
Neurogenic detrusor over-activity		√		
Incontinence due to subcervical spinal cord injury or multiple sclerosis		√		

Unlicensed:

Ophthalmology

Induction of ptosis to treat corneal exposure problems or facial palsy

Treatment of early onset squint

EMG guided intra ocular inj for diagnostic purposes such as checking for binocular potential prior to squint surgery

EMG guided intra ocular inj for therapeutic purposes such as inj into medial rectus & transpose vertical recti for cases of complete VI nerve palsy

Synkinetic facial movements

Treatment of crocodile tears

Surgery

Anal Fissure

Neurology

Paravertebral & shoulder muscle spasm

Piriformis syndrome

Foot dystonia in Parkinsons Disease

Face & neck tics

Axial dystonia

ENT

Frey's Syndrome

Laryngeal & tongue dystonia

Cricopharyngeal spasm

Vocal Cord Granuloma

Severe drooling/hypersalivation

Masseteric hypertrophy & associated facial pain

Spasm of reconstructed pharynx after laryngectomy

Spastic dysphonia

Focal dystonia & muscle spasm of head and neck

Gastro

Oesophageal spasm

Achalasia (oesophageal motility disorder)

Sphincter of Oddi dysfunction